POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH	
		ı	 Per
Total 1995 Population Est 31,99	_ I	Activities Reported Number	
Percent Female 49.	Note: Data in this section are from	.recr (1 er es meper eeu namber	10,000
	the 1990 Census. (All other	Public Health Nursing	
Population per square mile 3		Total clients 110	34
Rank in state 4: ( 1=highest population density,	except where specified.)	Total visits 403	126
72=lowest population density,	Ratio of 1989 Family	Visits: Reason for   Gen hlth promotion 90	28
72-10west population density.)	Income to Poverty	Infant/child hlth 103	32
	(Cumul ative)	Infectious & parasitic 116	36
<u>Age Female Male Tota</u>	<u> </u>	Ci rcul atory 23	7
0-14 3, 290 3, 510 6, 80		Prenatal 9	3
15-19 1, 140 1, 210 2, 34	3   3   41   47   2, 132	Postpartum .	
20-24 830 890 1, 72	5-17 13 34 39 5, 979	HIT C. D	010
25- 29 810 790 1, 60 30- 34 1, 240 1, 230 2, 4		WIC Participants 992	310
35-39 1, 280 1, 250 2, 4 35-39 1, 280 1, 350 2, 63		Clinic Visits .	ı
40-44 1, 130 1, 260 2, 39		Immunization .	
45-54 1,820 1,930 3,75	)	Blood pressure .	
55-64 1,530 1,520 3,05	)	1	
65-74 1,470 1,350 2,82	)	Environmental Contacts	·
75-84 1,040 800 1,84		Env hazards 19	6
85+ 380 190 5°	$) \qquad (1995)$	Public health nuisance 27	8
Total 15, 960 16, 030 31, 99	Primary sita Number	School Health	I
	Primary site   Number   Colon   20	Vision screenings .	1
<u>Age Female Male Tot</u>		Hearing screenings .	:
0 $0$ $17$ 4, 010 4, 250 8, 20	D Breast 21		· 'I'
18-44 5, 710 5, 990 11, 70	Prostate 30	Health Education	·
45-64 3, 350 3, 450 6, 80		Community sessions 23	7
65+ 2,890 2,340 5,23 Translation 15,000 10,000 01,000	<u> </u>	Community attendance 589	184
Total 15, 960 16, 030 31, 99	<b>'</b>	School sessions 7   School attendance 278	2 87
		School attenuance 278	87
E M P L O Y M E N T	LONG TERM CARE	Staffing - FTEs	ı
_ = == = = = = = = = = = = = = = = = =		Total staff 10	3. 3
Note: Average wage is based on place		Admi ni strators <1	0. 2
of work, not place of residence	e.   Home Health Agencies 2	Public health nurses 4	1.2
	Patients 329	Public health aides <1	0. 1
Average wage for jobs covered	Patients per 10,000 pop   103	Environmental specialists .	ا ،
by Unemployment Compensation \$18,23	'' "		ا
Labor Force Estimates Annual Aver	go   Licensed hads 399	LOCAL PUBLIC HEALTH FUNDIN	IC
Civilian labor force 14,8 Number employed 13,90	$\frac{gc}{l}$   0ccupancy rate (percent) 96.2%	LOOM TODELO HEREIN TONDIN	Per
Number employed 13, 90	0ccupancy rate (percent)   96.2%	Amount	Capita
Number unemployed 90	5   Residents per 1,000	Total funding \$484, 573 \$	15. 14
Unemployment rate 6	1% population aged 65 or older 58	Local taxes \$195, 980	<b>\$6. 13</b>

			N A T A L					
TOTAL LIVE BIRTHS		388	Birth Order	Bi rths	Percent	Marital Status		
			Fi rst	152	39	<u>of Mother</u>	Bi rths	Percent
Crude Live Birth Rate		12. 1	Second	130	34	Marri ed	305	79
General Fertility Rat	te	60. 4	Thi rd	60	15	Not married	83	21
•			Fourth or higher	46	12	Unknown	0	
Live births with repo	orted		Unknown	0	•			
Live births with repo		8 . %	_			Educati on	_	
		_	First Prenatal		_	<u>of Mother</u>	<u>Births</u>	Percent
<u>Delivery Type</u>	<u>Births</u>	<u>Percent</u>	<u>Vi si t</u>	<u>Births</u>	Percent	Elementary or less	2	•
Vagi nal after			1st trimester	325	84	Some high school	55	14
_ previous cesarean	15	•	2nd trimester	50	13	High school	172	44
Forceps	5	•	3rd trimester	12	•	Some college	85	22
Other vaginal	318	82	No visits	1	•	College graduate	74	19
Primary cesarean	38	10	Unknown	0	•	Unknown	0	•
Repeat cesarean	12	•						
Other or unknown	0	•	Number of Prenatal	D: 41	ъ .	Smoking Status	D: .1	ъ .
D 1 W. 1 .	D 1	ъ.	<u>Care visits</u>	Bi rths	Percent	<u>of Mother</u>	Births	
Birth Weight	<u>Births</u>	Percent	No visits	1	•	Smoker	85	22
<1,500 gm	3	• •	1-4 visits	6	4	Nonsmoker	303	78
1, 500-2, 499 gm	24	6. 2	5-9 visits	65	17	Unknown	0	•
2, 500+ gm	361	93. 0	10-12 visits	148	38			
Unknown	0	•	13+ visits Unknown	168 0	43			
				Ū	•			
			Low Birth Weight			er of First Prenatal		
	Total E		(under 2,500 gm)	1st Tr	imagtan	2nd Trimester		TT 1
Race of Mother		) a m a a m +			lillester	Liiu III mestei	_Other/	unknown
IVACC OI MOUTICE	<u>Births F</u>		Births Percent	Bi rths	Percent	Births Percent	Bi rths	Unknown Percent
Whi te	375	97	Births Percent 26 6.9	Births 318	Percent 85	Births Percent 46 12	Other/ Births 11	Percent •
White Black	375 0		26 6.9	Births 318	Percent	Births Percent 46 12 	Births 11	Percent ·
Whi te Bl ack Other	375 0 13		26 6.9 	Bi rths	Percent	Births Percent	Bi rths	Percent ·
White Black	375 0		26 6.9	Births 318	Percent 85	Births Percent 46 12 	Births 11	Percent
Whi te Bl ack Other	375 0 13		26 6.9	Births 318	85	Births Percent 46 12 	Births 11 . 2 . Visit	Percent
Whi te Bl ack Other	375 0 13 0	97	26 6.9	Bi rths 318	85	Births Percent 46 12 4 . 4 . 5 er of First Prenatal 2nd Trimester	Births 11 2 . Visit Other/	Unknown Percent
Whi te Bl ack Other Unknown	375 0 13 0	97	26 6.9	Bi rths 318 . 7 	Percent  85  Trimestimester	Births Percent 46 12 4 . 4 . 5 er of First Prenatal 2nd Trimester	Births 11 2 . Visit Other/	Percent
Whi te Bl ack Other	375 0 13 0	97	26 6.9	Bi rths 318 . 7 	Percent  85  Trimest imester Percent	Births Percent  46 12  4 .  5 .  6 .  6 .  6 .  7 .  6 .  7 .  8 .  1 .  1 .  1 .  1 .  1 .  1 .  1	Births 11 2 Visit Other/Births	Percent
White Black Other Unknown  Age of Mother	375 0 13 0 Fe Bi rths 0 19	97 : : : ertility Rate	26 6.9	Bi rths 318 . 7 	Percent  85  Trimestimester	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 .	Births 11 2 Visit Other/Births	Percent
White Black Other Unknown  Age of Mother <15	375 0 13 0 Fe Births	97 	26 6.9	Bi rths 318 . 7 	Percent  85  Trimest imester Percent	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 .	Births 11 2 Visit Other/Births	Percent
White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	375 0 13 0 Fe Bi rths 0 19 21 81	97 ertility Rate 50 98	26 6.9	Births 318 . 7 	Percent  85  Trimest imester Percent	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 .	Births 11 2 Visit Other/Births	Percent
Whi te Bl ack Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	375 0 13 0 Fe Bi rths 0 19 21	97 ertility Rate 50 98 155	26 6.9 1 Low Birth Weight (under 2,500 gm) Births Percent 6 8	Births 318 . 7 	Percent  85  Trimest imester Percent  75 94	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 .	Births 11 2 Visit Other/Births 3 1	Percent
Whi te Bl ack Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	375 0 13 0 Fe Bi rths 0 19 21 81 125 106	97 	26 6.9	Births 318 . 7 	Percent  85  Trimest imester Percent	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 .	Births 11 . 2 . Visit Other/ Births . 3 1 6	Percent
Whi te Bl ack Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	375 0 13 0 Fe Births 0 19 21 81 125	97 ertility Rate 50 98 155	26 6.9 1 Low Birth Weight (under 2,500 gm) Births Percent 6 8	Births 318 . 7 	Percent  85  Trimest imester Percent  75 94	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 . 7 .	Births 11 . 2 . Visit Other/Births . 3 1 6 1	Percent
Whi te Bl ack Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	375 0 13 0 Fe Bi rths 0 19 21 81 125 106	97 	26 6.9 Low Birth Weight (under 2,500 gm) Births Percent 6 8 11	Births 318 . 7 	Percent  85  Trimest imester Percent  75 94 88 81	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 . 7 . 12 .	Births 11 2 . Visit Other/Births . 3 1 6 1	Percent
Whi te Bl ack Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	375 0 13 0 Fe Births 0 19 21 81 125 106 31	97 	26 6.9 1 Low Birth Weight (under 2,500 gm) Births Percent 6 8 11	Births 318 . 7 	Percent  85  Trimest imester Percent	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 . 7 . 12 . 6 .	Births 11 . 2 . Visit Other/Births . 3 1 6 1 1	Percent
White Black Other Unknown  Age of Mother < 15	375 0 13 0 Fe Births 0 19 21 81 125 106 31 5	97 	26 6.9 1 Low Birth Weight (under 2,500 gm) Births Percent 6 8 11	Births 318 . 7 	Percent  85  Trimest imester Percent  75 94 88 81	Births Percent  46 12  4 .  ter of First Prenatal 2nd Trimester Births Percent  5 . 5 . 14 . 7 . 12 . 6 .	Births 11 . 2 . Visit Other/Births . 3 1 6 1 1	Percent

## ------ MORBIDITY ------- MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES fetal deaths.

Di sease	<u>Number</u>
Campylobacter Enteritis	< 5
Gi ardi asi s	9
Hepatitis Type A	<5
Hepatitis Type B*	0
Hepatitis NÄNB/C**	0
Legi onnai re' s	0 <5
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	0
Pertussi s	0
Salmonellosis	0 5
Shi gel l osi s	0
Tubercul osi s	0

- Includes HBV carriers Includes HCV screens

## Sexually Transmitted Disease

Chlamydia Trachomatis	35
Genital Herpes	13
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	<5
Syphilis	0

## ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	6, 171
Non-compliant	23
Percent Compliant	99. 6

TOTAL DEATHS 331 Crude Death Rate 1,035 331

Age	Deaths	Rate
1-4	•	
5-14	•	•
15-19	5	•
20-34	4	•
35-54	27	308
<b>55-64</b>	28	917
65-74	67	2, 373
75-84	114	6, 175
85+	83	14, 561

Infant		
Mortality	Deaths	Rate
Total Infant	3	
Neonatal	2	•
Post-neonatal	1	
Unknown		

Race of Mother		
White	3	
Bl ack	•	
0ther		
Unknown		
0ther		•

<u>Birth Weight</u>		
<1, 500 gm	2	
1, 500-2, 499 gm	1	
2, 500+ gm	•	
Unknown	•	

Deaths	Rate
4	
2	
2	•
	Deaths 4 2 2

Selected		
<u>Underlying Cause</u>	Deaths	Rate
Heart Disease (total)	101	316
Coronary heart disease	65	203
Cancer (total)	79	247
Lung	22	69
Colorectal	10	
Female breast	12	*
Cerebrovascul ar Di sease	32	100
Chron Obstr Pulmonary	12	
Pneumonia & Influenza de la	10	
Inj uri es	16	•
Motor vehicle	12	•
Di abetes	8	•
Infectious & Parasitic	6	

| \* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Sui ci de

Al cohol	6	
Other Drugs	1	
Both Mentioned	•	•

----- MOTOR VEHICLE CRASHES -----

| Note: These data are based on location of crash, not on residence.

Type of Motor	Persons Pe	ersons
<u>Vehicle Crash</u>	Injured k	Killed
Total Crashes	373	21
Al cohol - Rel ated	92	10
With Citation:		
For OWI	48	4
For Speeding	43	0
Motorcyclist	15	2
Bi cycl i st	4	0
Pedestri an	4	2

## ------ HOSPITALIZATIONS------

DI SEASE / AGE GROUP Nu	mber	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	1, 000	Average Stay (Days)	Average Charge	Charg Per Capi ta
Injury-Related: Al	1					Al cohol - Rel at ed					
Total	326	10. 2	5. 3	\$9, 709	<b>\$99</b>	Total	80	2. 5	6. 0	\$3, 399	\$8
<18	37	4. 5	3. 1	\$7, 560	\$34	18-44	47	4. 0	5. 2	\$2, 291	<b>\$9</b>
18-44	86	7. 4	5. 2	\$9, 695	\$71	45-64	23	3. 4	6. 1	\$4, 194	\$14
45-64	60	8.8	6.6	\$14, 955	\$132	10 01	~~	0. 1	0. 1	¥ 2, 20 2	¥
65+	143	27. 3	5. 4	\$8, 073	\$220	Pneumoni a and I	nfluenza				
Injury: Hip Frac		2110	0. 1	40, 0.0	<b>422</b>	Total	164	5. 1	4. 9	\$5, 233	\$27
Total	45	1.4	5. 5	\$9, 077	\$13	<18	31	3. 8	2. 9	\$2, 937	\$11
65+	42	8. 0	5. 7	\$9, 359	\$75	45-64	20	2. 9	5. 5	\$8, 934	\$26
Injury: Poisonin		0.0	o. ,	<b>40, 000</b>	970	65+	97	18. 5	5.6	\$5, 447	\$101
Total	ຣິ 17					1 001	0,	10. 0	0.0	QO, 117	Q101
18- 44	6	•	•	•	•	Cerebrovascul ar	Di saasa				
10-44	U	•	•	•	•	Total	117	3. 7	5. 0	\$6, 654	<b>\$24</b>
Psychi atri c						45-64	9	3. 7	3. 0	90, <del>034</del>	Q2- <b>4</b>
Total	178	5. 6	10. 6	\$5, 997	\$33	45-04	103	19. 7	4. 8	\$6, 10 <b>9</b>	\$12 <b>0</b>
<18	42	5. 0 5. 1	15. 1	\$7, 864	\$40	05+	103	13. 7	4. 0	<b>50, 103</b>	<b>Φ120</b>
18-44	64	5. 5	9. 0	\$4, 896	\$27	Chronic Obstruc	tivo Duli	попоры Г	)i sooso		
45-64	27	3. 3 4. 0	7. 9	\$4, 524	\$18	Total	59	1. 8	5. 2	\$4, 933	<b>\$9</b>
45-04 65+	45	4. 0 8. 6	10. 2	\$4, 324 \$6, 704	\$16 \$58	<18		1. 0		<b>34</b> , 933	39
03+	45	<b>8.</b> 0	10. Z	<b>\$6, 704</b>	<b>\$</b> 38	18-44	9	•	•	•	•
C II D:							4	•	•	•	•
Coronary Heart Dis		0 7	4.0	010 005	000	45-64	9 37	~ 1	٠.	05 000	0.40
Total	213	6. 7	4.8	\$12, 365	\$82	65+	37	7. 1	6. 2	\$5, 663	\$40
45-64	79	11.6	4.4	\$13,002	\$151	D D.l l					
65+	121	23. 1	5. 1	\$11, 925	\$275	Drug-Related	_				
	(0	`	411			Total	5 1	•	•	•	•
Malignant Neoplasm		ncers):	All	011 100	050	18-44	1	•	•	•	•
Total	147	4. 6	6. 7	\$11, 400	<b>\$52</b>	m . 1 m 1.					
18-44	11	٠. ــ	٠. ـ			Total Hospitali		100.0			
45-64	39	5. 7	7. 5	\$13, 755	\$79	Total	3, 848	120. 3	4. 5	\$6, 240	\$750
65+	95	18. 1		\$10, 557	\$191	<18	733	88. 7	3.0	\$3, 185	\$283
Neoplasms: Femal			tes for	temale po		18-44	971	83. 1	3.3	\$4,614	\$383
Total	20	1. 3	3. 1	\$5, 867 <sup>1</sup>	\$7	45-64	637	93. 6	5. 1	\$9, 044	\$847
Neoplasms: Colo-	rectal			040 -0-	040	65+	1, 507	287. 5	5. 6	\$7, 588	\$2, 182
Total	23	0. 7	8. 6	\$13, 737	\$10		n	0 0 5 -	m · -		0.11.0
65+	19	•	•	•	•	PREVENTA					
Neoplasms: Lung						Total	621	19. 4	4.6	\$4, 902	\$95
Total	14		•	•	•	<18	98	11. 9	3. 0	\$3,049	\$36
						18-44	65	5. 6	3. 2	\$3,636	\$20
Di <u>a</u> bet <u>e</u> s						45-64	81	11. 9	4. 3	\$5, 928	\$71
Total	47	1. 5	7. 7	\$8, 254	\$12	65+	377	71.9	5. 3	<b>\$5, 381</b>	\$387
65+	20	3.8	9.8	\$9, 910	\$38		_	_	_		_
						* Hospitalizatio	ns for c	ondi ti or	ıs where	timely a	nd
						effective ambula	tory car	e can re	educe th	e likelih	ood of
					hospitalization.	-					